



## ▶ Polycom® SoundStation™ IP 7000 Integration with Polycom HDX



### System Requirements

- ▶ The SoundStation IP 7000 must be running SIP 3.1.1 software or later to integrate with HDX.
- ▶ The Polycom HDX must be running software version 2.5 or later to integrate with the SoundStation IP 7000.
- ▶ The SoundStation IP 7000 can integrate with any of the Polycom HDX-series systems – the HDX 4000, HDX 7000, HDX 8000 and HDX 9000.

The SoundStation IP 7000 is the most advanced conference phone ever developed. In addition to being a high-performance stand-alone conference phone, it also integrates with the Polycom HDX series of high-definition video conferencing systems. Integrating the two devices together delivers the following features and benefits:

- Dial, pick up, and hang up video calls from the conference phone without using a separate remote control
- The SoundStation IP 7000 delivers 20 feet of microphone pickup during video calls, reducing or eliminating the need for separate video microphones
- Add additional microphone pickup by connecting a SoundStation IP 7000 expansion microphone directly to the conference phone
- The SoundStation IP 7000 is fully compatible with the Siren22 capabilities of HDX, delivering an unmatched HD Voice experience during video calls
- The conference phone can dial audio-only calls using the PSTN interface available on select Polycom HDX systems
- Initiate content sharing over video via the conference phone soft keys

Together, the Polycom HDX and SoundStation IP 7000 deliver a complete, integrated voice and video conferencing solution. One common interface is used for both video and audio calls, making communication and collaboration easier and more intuitive. Plus, the HDX system supplies both power and connectivity to the SoundStation IP 7000 through a single cable, eliminating additional power supplies and conference room clutter.

In addition to its HDX integration features, the SoundStation IP 7000 is also a stand-alone IP conference phone that interfaces with select SIP-based IP telephony platforms. The conference phone can be connected to both Polycom HDX and a supported SIP platform simultaneously. If the conference phone is only connected to HDX, all voice and video calls are routed through the HDX, and the conference phone can then place audio-only calls via the PSTN interface on select HDX systems.

©2008 Polycom, Inc. All rights reserved.  
Polycom and the Polycom logo design are registered trademarks of Polycom, Inc. in the U.S. and various countries.  
All other trademarks are the property of their respective owners. Information in this document is subject to change without notice.